



DYNO PROFILE

A SHOWCASE OF OUR CAPABILITIES

CONTENTS

ABOUT DYNO, AND HOW WE WORK WITH YOU 3

ROLLER CONVEYORS 7

DYNODRIVE	8
TRANZBAND	9
PALLET CONVEYORS	10
EZYROLL	11
LIGHTROLL PR	11
MINIROLL	12
MULTIROLL SECTIONS	12
SKATEWHEEL SECTIONS	12

BELT CONVEYORS 13

TRANZBELT	14
TRANZBELT	15
AMBAVEYOR	16
VERSATEK	16

TELESCOPIC & EXPANDABLE CONVEYORS 17

TELESCOPIC CONVEYORS	18
XPANDAROLL	19

VERTICAL CONVEYORS 20

PRORUNNER MK1	21
PRORUNNER MK5	21
PRORUNNER MK9	22
PRORUNNER MK10	22
AMBAFLEX SPIRALVEYOR	23
SLIDES & CHUTES	23

DIMENSIONING, WEIGHING & SCANNING 24

IDIMENSION PLUS	25
IDIMENSION PLUS XL	25
IDIMENSION LTL	25

CHAIN & CHAIN CONVEYORS 26

CHAIN ROLLER CONVEYOR	27
CHAIN CONVEYOR	27
DYNO CHAIN	28
CHEMICAL RESISTANT CHAIN	28
DYNO GLIDE CHAIN	28
CHAIN SPROCKETS	28
CHAIN BREAKER TOOL	28

CONVEYOR COMPONENTS & ACCESSORIES 29

ROLLERS	30
BEARINGS & ENDCAPS	30
BALL TRANSFERS	31
DYNOFLOAT	31
MTR'S (MULTI DIRECTIONAL ROLLER)	31
SPROCKETS & PULLEYS	31
SKATEWHEELS	32
TRANZBAND COMPONENTS	32
24V ITOH DENKI F-RAT	32
24V DYNODRIVE MOTOR & CONTROL CARD	33
24V DYNODRIVE CUBE	33
24V ITOH DENKI POWERED ROLLER	33

OUR ORIGIN 34

DYNOCARE 35

ABOUT DYNO, AND HOW WE WORK WITH YOU



DYNO Conveyors warranties equipment supplied free from defective materials and workmanship for a period of 5 years, subject to satisfactory care and maintenance and being used according to original specifications.

CORE INDUSTRIES



Warehousing & Distribution



Meat



Freight & Logistics



Fruit



Manufacturing

SOLUTIONS

Project Systems Integrator

We work with you to create your own world class warehouse automation system. Integrating with your WMS (warehouse management system) and other machinery to give you the control you need to operate successfully each day.

Dispatch Solutions

Instantly prove the benefits of adding conveyors to your dispatch system. Increase output with optimised flow and keep up with market trends in this ever evolving environment. Each solution is purpose built to suit your specific requirements.

Product Sorting

Move away from slow manual methods and increase output and accuracy with a conveyor sorting system. Ideal for 3PL, distribution centers and order fulfillment.

Multi-Level Storage & Product Handling

Easily move product between levels and increase health and safety with our multi-level storage and product handling solutions.

Devanning

Reduce the time required to load and unload trucks and containers with our devanning solutions.

THE DYNO WAY

Our collaborative approach that get's you a purpose built solution which exceeds your expectations day in and day out.



1. Engagement

Understanding your current business pain points/constraints and future business goals and projections.



2. Discovery

Explore and analyse your unique operational dynamics, ideas and concepts to create scope that meets your needs and requirements.



3. Business Case

Solution presentation with a strong business case showing ROI, performance optimisation and planning.



4. Delivery

Partnership with solution sign-off; design, manufacture, delivery and installation with communication throughout.



5. Lifetime Ownership

Experience the ongoing benefits with continued support from Dyno and the Dyno Care program.

TRUSTED BY



A BIT ABOUT US

At Dyno we're all about making your business go round.

Up and down.

And side to side.

Propelling you to outstanding levels of profitability, safety and waste reduction.

From distribution centres and fruit packhouses to high level automated sorting - our conveyor systems make moving product, cartons, crates, pallets, meat, fruit and even gravel simple and efficient.

We more than design, manufacture and supply high quality conveyors and product handling systems. Our experienced team work closely with companies large and small; those with existing conveyors, and those starting from scratch to improve processes and increase profitability.

In the industry since 1980, we're an inter-generational Kiwi company which has been analysing, understanding and improving how product moves for over 40 years.

All that experience, and our knowledge of the industries we work with, is part of a total approach that includes on going support with supply of parts and maintenance by trained engineers.

From A to B, seamlessly.

MEET THE TEAM



Trevor
Director & Founder



Scott
Sales Manager



Reuben
Project Manager



Duncan
Workshop Manager



Seth
Lead Designer



Shane
Roller Production
Manager



Cassandra
Sales & Admin

ROLLER CONVEYORS


DYNODRIVE

24 volt zero pressure technology ensures product moves smoothly without one item touching another - ideal for handling fragile or small packages. Safe, quiet and energy efficient; this system consists of an externally mounted 24 volt direct drive, brushless DC motor driven by its own control card - an extremely versatile electronic option for a powered conveyor system.



TRANZBAND


An inbuilt accumulation system and innovative safety features makes this lineshaft conveyor the conveyor of choice in many industries. Easily transfer product, accumulate, move around bends or through gates with this modular design. The basis of the system is a tough polyurethane belt, which enables each grooved roller to be independently driven from a common lineshaft.



"From the concept stages dyno understood our complex requirements and worked through these to present a concept that not only made operational sense to our immediate requirements but offered scope for future expansion"
-Ebos Healthcare


Features & Benefits

- No Product Damage - 24v Zero Pressure Accumulation (ZPA) ensures product moves along and accumulates without touching.
- Flexibility - externally mounted 24v drive motor means it can easily adapt to a variety of roller sizes and conveyor widths including retrofits.
- Maintenance Friendly - Reduced wear on shaft and bearings with minimal parts required.
- Energy Efficient - direct drive 24v brushless DC motor which only runs when product needs to move.
- Quiet - very low operational noise.
- Simple - no need for PLC.
- Controlled braking system.
- Powerful 200w motor available.



Features & Benefits:

- Safe - with full underguarding, shaft spacers and smooth safety edges to minimise pinch points.
- Flexibility - modular design can easily be modified or added to, adapting to your needs as you continue to grow.
- Accumulation - rollers will stop running, stopping the product from moving, when it comes up against a physical stop.
- Maintenance Friendly - a mounted shaft can easily be lifted out of the conveyor for quick and easy repairs with all replacement parts readily available.
- Reliable - Shaft spools and spacers increase the wear life of the drive bands.
- Efficient - minimum power consumption with no energy lost through skid friction.



PALLET CONVEYORS

Pallet roller conveyors are your ideal pallet conveying solution. They reduce the use of forklifts in working areas, ensuring the safety of your staff. Designed to suit a large range of pallets, they can also be integrated with stretch wrappers, lift tables and other pallet handling equipment.



Features & Benefits:

- Collaborative conveyors - you and your team can safely work alongside with reduced need for forklifts in these areas.
- Flexibility - modular design can easily be modified or added to, adapting to your needs as you continue to grow.
- Fit for each purpose - pallet conveyors available in roller (gravity and powered) and belt conveyor designs.
- Durable - with up to 2 tonne load rating using heavy duty rollers and frames.
- Use with turntables, lift tables, stretch wrappers and other pallet handling material for increased versatility.



Watch the ABB Switchgear Pallet Conveying video online and see how we transformed their production line

www.dyno.co.nz

EZYROLL

A quality NZ designed and manufactured gravity roller conveyor system, that efficiently and safely moves your goods from A to B. Available in a range of options to suit every requirement these conveyors work great in dispatch applications.



"They've been very much 'on the case' right through the process and adaptable to meet all the challenges. Now instead of struggling to keep up with customer demand, we can 'chase the game' to grow our business."

- Wurth

Features & Benefits:

- Durable with robust roller bearings
- Modular design with multiple roller spacings to accommodate any package or product.
- Easily convey around corners using 45° or 90° bends with tapered rollers
- Use any rollers from our range - PVC, Galvanised or Stainless Steel
- Guiderails, high sides, end stops and pedestrian access gate options available
- Powder coated mild steel or stainless steel construction options



LIGHTROLL PR

An economic option to move product efficiently, these kitset conveyors are quick and easy to install. Designed for light-medium duty box and carton conveying these conveyors are a proven versatile handling solution for warehousing, distribution and product manufacturing.

Features & Benefits:

- Durable - quiet and clean PVC Rollers with robust steel bearings.
- Economic - cost effective solution without compromising on quality.
- Flexibility - modular construction of 2.4m lengths that can easily be added to with adjustable roller spacing (pitch) for handling of different sized products.



MINIROLL

Streamline your product handling with Miniroll Wheel Track. A simple, innovative and cost-effective system designed to improve carton flow and optimise storage space. Popular for use in live pallet racking applications and first in first out (FIFO) storage systems, this robust wheel track is easy to install to instantly improve efficiencies.




Features & Benefits:

- Easy to install - comes in standard 2.4m lengths with a range of accessories available to easily mount in place.
- Durable - robust galvanised steel track with zinc plated steel axles for longer wear.
- Quick ROI - with very little set up cost, you can almost instantly begin to experience the benefits.
- Moves cartons and product efficiently with single or double wheel track available for small or irregular shaped products.


Common Uses:

- Live Racking / Storage
- Package Handling and Carton Flow
- First in First out (FIFO) Storage Systems



Non-Return

Prevents the goods from rolling backwards.




Mounting Clip

Attaches to cross bars from 2-4mm thick.




Strength Clip

Prevents channel opening under heavy loads.



Braking Ramp

Adds friction to slow down product flow.




Joiner

Join tracks together easily and keep in line.


MULTIROLL SECTIONS

Move products in multiple directions with an MTR or Ball Transfer section. Designed to give your conveyor line flexibility and ensures product moves smoothly and precisely in any direction you need.



SKATEWHEEL SECTIONS

A lightweight, low cost and ergonomic way to move materials. Combine with powered systems to help reduce energy costs.



BELT CONVEYORS

TRANZBELT


For safe, efficient and reliable product movement - this is where aesthetics and function combine. With a requirement to provide safer work environments, this conveyor boasts a number of safety features bringing your safety to the fore. Proven across a wide range of industries, these conveyors are suitable for many applications with a range of options to ensure a fit for any purpose.




Download the Specification Form online.
www.dyno.co.nz

Features & Benefits:

- Safe - with complete underguarding, covered drive shaft and smooth edges to minimise pinch points.
- A collaborative conveyor - you and your team can safely work alongside.
- Maintenance Friendly - minimal tools required and all parts available through our standard product range.
- Reduced product damage with the belt providing a smooth and controllable method of transporting product.
- Avoid belt adjustment tampering which increases wear and tear with hidden internal belt adjustment.
- Supports flat, incline or decline product movement so you can get product where it needs to go.
- Belt supported with either a slider or roller bed.



Belt runs to the edges of the conveyor




Full underguarding with zero pinch points



Hidden internal belt tracking adjustment

MINIBELT



Load: up to 5kg
Length: 300mm - 2,400mm long
Width: 200mm - 600mm (belt width)
Speed: 6 - 30m/min
Drive: Ø32mm 24v internal drive drum with variable speed control card
Frame Depth: 63mm


TRANZBELT SLIMLINE



Load: up to 50kg
Length: 600mm - 3,000mm long
Width: 400mm - 800mm (belt width)
Speed: up to 60m/min
Drive: Ø60mm 24v internal drive drum with variable speed control card
Frame Depth: 110mm

TRANZBELT

Load: up to 500kg (subject to overall dimensions)
Length: 1,000mm - 20,000mm long
Width: 300mm - 1,200mm (belt width)
Speed: As specified
Drive: Single Phase, Three Phase or 24v DC External
Frame Depth: 200mm



AMBAVEYOR



The Ambaveyor conveyor system gives you endless flexibility with the ability to incorporate straights, inclines and curves into one continuous conveyor. A side flexing slat belt conveyor that operates off a continuous chain drive supports a more extensive variety of products; smoothly conveying cartons, bags, satchels and more.

Features & Benefits

- Move product in any direction with the belt being able to flex sideways, negotiate upwards and down and around bends.
- Reduce the number of drive motors required by two thirds - in some cases it's possible to run a 50m long belt off a single drive
- Optimal product handling with product supported entire width of conveyor and lower number of transfers.
- Supports a more extensive variety of products, smoothly conveys cartons, bags, satchels and more
- High load capacity - can be up to 120kg per meter depending on the type of product being conveyed
- Capable of running at speeds of up to 60m/min
- Maintenance friendly - with fewer parts and moving parts only at either end.



Configurations

A wide range of configurations available to suit every application.



Gooseneck



Curve



S Curve



U Shape




Lightbulb

VERSATEK

A versatile conveying solution that can convey products through radius bends, goose necks and inclines as well as horizontal paths. Ideal for a wide variety of applications this has been developed to allow us to effectively customise a system to your requirements.

Features & Benefits

- Maintenance friendly with standard geared motors and belt easy to repair or replace.
- Variety of belt types and materials available to suit your application
- Corrosion and abrasion resistant
- Low friction
- Hygienic plastic material makes it ideal for wash down situations.
- Side flexing to easily go around corners



TELESCOPIC & EXPANDABLE CONVEYORS

TELESCOPIC CONVEYORS

For rapid and efficient loading and unloading or devanning of goods, these telescopic conveyors are designed and manufactured to safely achieve high handling rates. Expected to halve loading and unloading times as well as the number of staff required, these conveyors will streamline your operation and improve health and safety. Suitable for loading and unloading trucks, trailers, containers and vans - utilising a telescopic boom that can extend up to 18m at the touch of a button. Operate stand alone, or integrate with conveyors for a complete automated system.



"It saves us about 20 minutes for every container load, which is one third of the time. This makes a huge difference to productivity, which really counts when we're busy."
-Leeston Seeds, Canterbury

Features & Benefits:

- A collaborative conveyor - you and your team can safely work alongside.
- Reduce product damage with soft start belt function providing a smooth and controllable method of transporting product.
- Increase profitability with often half the labour and time required, reducing temp staff costs and management.
- Easily transport a wide range of freight including cartons, sacks, parcels, drums and tyres.
- Improve health and safety with clear separation of staff and machinery e.g. forklifts
- Improve staff ergonomics and posture with reduced need for manual lifting.

Common Uses:

- Freight Handling & Logistics
- Container Devanning
- Warehouse & Distribution Centers
- 3PL Third Party Logistics
- Supply Chain
- Loading and unloading of trucks, containers, vans, trailers and rail cars.



XPANDAROLL

Achieve more with much less. Stretch and bend your height-adjustable expanding conveyor to take products wherever you need them. Cartons follow the twist and turns of the conveyor path without side rails or engineered curves. Simply fold away when finished. Ideal for changeable product runs in dispatch and trailer unloading and loading.

Features & Benefits:

- Expand and contract conveyor to suit your requirements, folds down to 1.6m and expands out to 6m.
- Structural steel support channel spans entire conveyor width for strength.
- Self tracking with free running skate wheels.
- Adjustable height, simply turn the locking knob to raise or lower the conveyor bed height.
- Fully lockable castor wheels.
- Easy set up.
- Connecting brackets to join conveyors together.

Common Uses:

- Dispatch and inwards areas
- Courier parcel handling
- Truck loading/unloading
- Distribution centers
- Mobile assembly lines



33% FASTER PACKING WITH LESS STAFF FATIGUE

LEESTON SEEDS TELESCOPIC CASE STUDY

Their Workable Solution Made Things Much Easier

"Dyno came up with an option that met our needs well. It was a 'telescopic' conveyor that could be extended to deliver the seed bags to exactly where they were needed for container loading, without requiring belt adjustments every time. This 'one step process' eliminated previous multiple handling with forklifts, pallets, staff walking back and forth, and bending down for lifting."

Extra Mile Service to keep Things Humming

"Dyno installed the system and went out of their way to ensure our satisfaction. They observed us the first time to ensure that everything was working properly. Their follow-up service was very responsive and helpful, with ongoing contact to check everything continued working satisfactorily."

The Outcome

"The new conveyor is very versatile and adaptable. It saves us about 20 minutes for every container load, which is one third of the time. This makes a huge difference to productivity, which really counts when we're busy. Our staff and trucking company staff get a lot less fatigued. We can redeploy our staff to do other productive work, so it's a win for both management and workers. The truck companies now get a faster turnaround here - which has become known around Canterbury."

VERTICAL CONVEYORS

PRORUNNER® MK1

This solid, cost-effective vertical conveyor will work, day in day out, year in year out, - lifting and lowering products without effort.

Features & Benefits:

- Fits into almost any layout with minimum footprint and compact design.
- Suitable for vertical sorting (several heights)
- Low operational noise
- Robust, solid construction with very low maintenance
- Can handle boxes, crates and sacks up to 75kg



PRORUNNER® MK5

Guaranteeing an uninterrupted product flow, this continuous lift effortlessly and quickly transports a wide variety of products between multiple levels.

Features & Benefits:

- Continuous product flow between levels with no start/stop movement.
- Possibility for in and outfeed on more than two levels.
- Number of carriers increases capacity.
- Couple with retractable conveyors for a vertical sorting system.
- Shock free movement with a patented cam follower system.

Common Uses:

- Transport to and from multiple floor levels
- Vertical product sorting

 Watch how it works online
www.dyno.co.nz



WHY VERTICAL TRANSPORT?

Space is sparse and expensive. If possible, every square meter in a production area or warehouse should be used as efficiently as possible. This also means that products are increasingly in need of vertical space.

Given the layout of production processes, vertical transport is often necessary in a production line. One reason may be that products for the next machine in the line needs to be supplied at a different height. Sometimes it is simply desirable to free up the floor, for example to give people or trucks access or to make room for other machines. This will almost always involve a steady stream of mostly identical products that need to be transported no more than a few meters up or down.

In warehouses, it is important to not only use the number of square feet, but also the number of cubic feet as efficiently as possible. Activities such as order picking are increasingly conducted on different floors, which are connected through a transport system. This system must not only be able to transport products several feet up, but also back down again at a rate that varies considerably throughout the day. Additionally, distribution centres are making use of fully automated storage and order picking systems with all the characteristics of a production line.

PRORUNNER® MK9

Lift and lower pallets easily with this cost effective, low maintenance lift. Ideal for transporting up to 60 pallets per hour, this lift fits into any layout. A clever design and reliable components means the lift almost looks after itself.

Features & Benefits:

- Fits into almost any layout with minimum footprint and compact design.
- Suitable for vertical sorting (several heights)
- Low operational noise
- Robust, solid construction with very low maintenance
- Drop down protection included
- Right angle arrangement possible
- Can handle pallets and racks up to 1200kg




PRORUNNER® MK10

The heavy-weight champion of this series, the MK10 needs very little maintenance and will handle up to 60 pallets/hour without missing a beat.

Features & Benefits:

- Fits into almost any layout with minimum footprint and compact design.
- Suitable for vertical sorting (several heights)
- Low operational noise
- Robust, solid construction with very low maintenance
- Automated drop down protection
- Right angle arrangement possible
- Optional pallet centering and stopper
- Can handle pallets and racks up to 2000kg



Qimarox®

Qimarox®

AMBAFLEX SPIRALVEYOR®

AmbaFlex
SCIENCE IN SPIRALS

SpiralVeyor is perfect for high throughput applications where real estate is precious. This simple and reliable conveyor continuously moves medium to large sized products up and down many levels, accumulates and much more with proven technology.




Download the Specification Form online.
www.dyno.co.nz

Features & Benefits:

- A collaborative conveyor - you and your team can safely work alongside with no need for guarding or safety fencing.
- Easily convey unstable products with support the total width of the conveyor.
- Continuously move product; up, down and reversible.
- Highly configurable to suit every application
- Elevate and accumulate product
- High product throughput
- Proven technology, manufactured by Ambaflex - world renowned in spiral conveying.

SLIDES & CHUTES

A simple concept that easily moves product down, allowing for accumulation.



DIMENSIONING, WEIGHING & SCANNING

IDIMENSION PLUS®

Automatically measure parcels and irregular packages in less than 0.2 seconds. A small footprint allows for easy integration into current workstations or retail environments.

Features & Benefits:

- Prevent revenue loss - accurately provides dimension and weight calculations required by couriers.
- Dimensions a range of products including boxes, flats, polybags and more.
- Increase productivity with product being dimensioned faster and more accurately than manual measurements.
- Easy to assemble with limited operator training required.
- Traceability with a photo captured of every item.
- USB touch screen for results and operator controls.



IDIMENSION PLUS XL®

A Mount-anywhere solution gives you the flexibility to install dimensioning technology anywhere - over a conveyor, table or scale from a pole, ceiling mount or support beam.

Features & Benefits:

- Prevent revenue loss - accurately provides dimension and weight calculations required by couriers.
- Dimensions a range of products including boxes, flats, polybags and more.
- Increase productivity with product being dimensioned faster and more accurately than manual measurements.
- Easy to assemble with limited operator training required.
- Traceability with a photo captured of every item.
- USB touch screen for results and operator controls.



IDIMENSION LTL®

Optimise dimensional shipping and enhance quality assurance verification in loading bays, warehouses and shipping and receiving departments.

Features & Benefits:

- Dimensions any shape in any orientation.
- 360° access for easy pallet placement in the center of the target zone.
- No moving parts and solid-state design.
- Operator display provides instantaneous feedback to the forklift or pallet jack operator, communicating dimensions and system status.
- Network integration to communicate images and dimensions to WMS
- Two high-resolution cameras perform freight identification, damage assessment and tracking.



DYNO CHAIN & CHAIN CONVEYORS

CHAIN ROLLER CONVEYOR

The Dyno Chain system, exclusive to Dyno, is manufactured from Acetal, a high strength plastic with greater dimensional stability when compared to other common plastics. It has the advantage of requiring no wear strip with low coefficient of friction and is ideal for any challenging product movement.

Features & Benefits:

- Available in 3" pitch (Dyno 300) or 2.5" pitch (Dyno 600) with a range of rollers to ensure a fit for every purpose.
- Low maintenance with long life parts and little lubrication required.
- Easily convey irregular product
- Resilient with chain being non-corrosive, abrasion resistant and ability to go through water.
- Quiet with low operational noise

Common Uses:

- Fruit & Vegetable Grading Tables
- Elevators




CHAIN CONVEYOR

Features & Benefits:

- Available in 3" pitch (Dyno 300) or 2.5" pitch (Dyno 600)
- Low maintenance with long life parts and little lubrication required.
- Easily convey irregular product including pallets, bins and cans.
- Resilient with chain being non-corrosive, abrasion resistant and ability to go through water.
- Quiet with low operational noise

Common Uses:

- Product Manufacturing
- Pallet Conveying




DYNO CHAIN

Lightweight, quiet, clean and non-corrosive the Dyno Chain ranges from extremely low friction to chemical resistant to cater for every requirement.


Features & Benefits:

- Available in 3" pitch (Dyno 300) or 2.5" pitch (Dyno 600)
- Low maintenance with long life parts and little lubrication required.
- Resilient with chain being non-corrosive, abrasion resistant and ability to go through water.
- Quiet with low operational noise
- Will run in any direction.
- UV resistant and chemical resistant chain options available.
- Chain breaker tool available




CHEMICAL RESISTANT CHAIN

Extensively researched & tested to resist chemicals added to fruit water dumps.



DYNO GLIDE CHAIN

A non-lubricated chain system perfect for any demanding product movement. Combine with UltraSlip wear strip for huge energy savings - tested and proven to be more efficient.




CHAIN SPROCKETS

Our comprehensive range of sprockets supports the Dyno Chain range. Available in Polypropylene or aluminium with either 6, 8 or 10 tooth sprockets.

Polypropylene


Aluminum



CONVEYOR COMPONENTS & ACCESSORIES

ROLLERS

Made from PVC, aluminium, galvanised or stainless steel with a wide variety of tube sizes, shaft diameters and bearing styles, we can produce to suit your application.



Galvanised Stainless Dynopipe Aluminum



Grooved For band driven and powered roller conveyors.
Sprocketed Chain, mini-v, band or tooth belt driven.
Tapered For use on bends to guide product around.
Troughed To support troughed belt conveyors.
Drums Largely used as head and tail drums on belt conveyors.

Roller Extras

- Zinc Plating
- Rubber or Plastic Coating
- Shaft extras including female threads, male threads, flats, cross drills, circlips and grooves.
- And more!

 [Download your Roller Order Form online.](http://www.dyno.co.nz)
www.dyno.co.nz

BEARINGS & ENDCAPS

20mm to 114mm roller bearings to suit our range of rollers.



[View the full range online](http://www.dyno.co.nz)
www.dyno.co.nz



Bushed ABS endcaps with bushes.
PVC Race Thermoplastic race with stainless steel balls.
Steel Steel (unground) with caged balls.
Precision Zinc plated or thermoplastic housing.
Heavy Duty Zinc plated or thermoplastic housing.

BALL TRANSFERS


Move product smoothly, precisely and with minimum effort in any direction. Robust construction with steel pressing and hardened balls - available in both carbon or stainless steel. A wide range of ball transfer units available with more sizes available on request.



Tube Fit Flanged Base Fit Thread Fit Heavy Duty

DYNOFLOAT

These ball castors allow for smooth, safe conveying and directional changes for sheet materials whilst protecting delicate or polished surfaces.



MTR'S

Easily move product in any direction with these multi directional rollers. Suitable for all applications where flat based goods are transferred, compiled, sorted and shipped.



SPROCKETS & PULLEYS

A wide range of sprockets and pulleys to suit any application. From steel through to plastic, with precision or bushed bearings. Adaptors, Chain and tooth belts available as well.



Lightweight Roller Drive Chain Driven Sprockets Mini-V Pulley Tooth Belt Pulley Band Driven Pulley

SKATEWHEELS

A lightweight, low cost and ergonomic way to move materials. Available in plastic or steel.



TRANZBAND COMPONENTS

All the parts and components you need to keep your Tranzband (lineshaft) conveyor in top condition.



Drive Bands

Urethane bands, available in clear, blue (high strength) or black twisted for emergency repairs.




Drive Spools

Standard, Split or Speed up to suit a 25mm Lineshaft with Cliplocks



Universal Joints

Keep rolling around those bends with a universal joint complete with cover for your safety.



Bearing Blocks

High grade acetal blocks for washdown areas only



Chain Couplings


Seamlessly join your Tranzband together with plastic chain and two coupling sprockets

24V ITOH DENKI DC F-RAT

Operating at a safe low voltage the F-RAT (Flat Right Angle Transfer) will move your product quickly, quietly and smoothly. Easily configurable, it can transfer product forwards and backwards, left and right.


Features & Benefits:

- Easily integrate with any conveyor to upgrade and automate transferring of product.



24V FLOW SORT

A high speed, flexible, modular sorting line; which can be configured to your requirements. Easy to install, easy to change and easy to control.



24V DYNODRIVE MOTOR & CONTROL CARD

A 24v direct drive, brushless DC motor, driven by its own individual control card. Easy to install on existing or new systems and can be configured for use in several different operating modes. Safe, quiet and reliable this product gives you greater flexibility and control.

Features & Benefits:

- Safe, 24v low power consumption
- 100w or 200w motors with SCC-3 or SCC-3 high performance control cards.
- Dynamic speed adjustment
- Easy to install with plug and play simplicity and complete installation, set-up and troubleshooting guides available on request.
- Search and rescue function that finds cartons that otherwise might become lost.
- Can operate in ZPA (Zero Pressure Accumulation) mode or in ZIP (small gap) mode for maximum throughput.



24V DYNODRIVE CUBE

Achieve more with less - no bigger than your ballpoint pen, this is the geared motor of choice for visionary conveyor owners that value long-term reliability. The 24v DynoDrive motor is coupled to a compact and powerful right angle gear reducer, integrating three innovative products from a single source.

Features & Benefits:

- Safe, 24v low power consumption
- Energy efficient with an economic variable speed drive and motor that only runs when required.
- Range of motor and gearbox sizes ensuring a fit for any purpose
- Superb torque to speed performance curve.



24V ITOH DENKI POWERED ROLLER

These rollers with an internal motor are a compact, safe and energy efficient way to take your products from A to B. Each roller controls a small zone of slave-driven rollers - ideal for ZPA (Zero Pressure Accumulation).



OUR ORIGIN

The original Dyno chain and components were developed in 1980 specifically for a fruit pre-sizing plant for the New Zealand Apple and Pear Board in Hastings. Named "Dyno" its products were used extensively as a non-corrosive solution for shifting products ranging from fruit right up to pallets.

Seven years later, Dyno began selling new conveyors manufactured by other suppliers. However, these standard items didn't allow the flexibility or levels of quality and specialization the market needed.

That's where the Dyno team stepped-up.

The company began designing products tailored to New Zealand's unique requirements including this country's first moulded plastic tapered rollers. We started customising conveyors to suit customers' needs and requests.

In 1995 we shifted to a new factory in Invercargill, merging the two Dyno businesses. Since then we've continued to expand our capabilities with offices opening in Canterbury and Auckland. Then a few years later we began dealing with clients, like yourself, direct in order to better serve and respond to customers' requirements to ensure a solution that's fit for purpose.

Together, we've grown to where we are today: A New Zealand-owned, New Zealand wide, inter-generational company that's still listening to our customers' needs, making their lives easier; and their businesses more efficient, productive, and profitable.



DYNO CARE

DYNO CARE is a programme that ensures clients' conveyors operate at maximum efficiency, and avoids costly interruptions to processes.

We work with clients to ensure that routine maintenance and checks are carried out without disruption and according to their needs.

Please note: meat processing operations may need more specialized care than distribution.

For advice on your system, please talk to **DYNO CARE**.

Trevor Cornes
Managing Director

DAILY

- General housekeeping and cleaning
- Inspect for correct operation
- Remove any foreign objects from the conveyor

WEEKLY

- Check all rollers are rotating
- Clean, or wipe, PE sensor lenses and reflectors

MONTHLY

- Inspect roller condition
- Lubricate bearings, if needed (Note: Over-greasing can result in reliability issues)
- Check gearbox oil levels
- Check the gear motor
- Inspect conveyor drive for any foreign material
- Inspect chain drive for correct tension
- Check limit switches and PE sensors
- Lubricate universal joints on curves
- On Tranzband Conveyor, check that all drive bands are running on spools

QUARTERLY

- Check roller and bearing condition
- Check drive sprocket and chain condition and adjust, if needed
- Check for loose guide rails, correct if necessary

ANNUALLY

- Lubricate conveyor drive chain
- Inspect components for wear and tear – replace as required
- Check conveyor bed condition, splice plates, support mounting, adjust bolts for loose equipment and tighten as needed
- Visually check condition of electrical equipment



A to B, seamlessly

0800 144 044

enquiry@dyno.co.nz

www.dyno.co.nz